			8)
	Application No.	Applicant(s)	
	10/004 044		
Notice of Allowability	10/694,944 Examiner	GROOTHUIS ET AL	
•			1
	Elizabeth Houston	3731	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>07/11/2005</u> .			
2. The allowed claim(s) is/are 1-4, 7 and 15-19.			
3. The drawings filed on 10/29/03 are accepted by the Examiner.			
<ul> <li>4.  ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). <ul> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1.  ☐ Certified copies of the priority documents have been received.</li> <li>2.  ☐ Certified copies of the priority documents have been received in Application No</li> <li>3.  ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul> </li> <li>Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.</li> <li>5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.</li> <li>6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.  (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached  1) ☐ hereto or 2) ☐ to Paper No./Mail Date</li> </ul>			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 7. ☑ Examiner's Amendn	(PTO-413), te	)-152)
Paper No./Mail Date  4.   Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allo	wance
of Biological Material	9.  Other		

4

Application/Control Number: 10/694,944 Page 2

Art Unit: 3731

## **DETAILED ACTION**

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Jim Crittenden on 08/09/05.

The application has been amended as follows: Claims 5, and 8-14 have been canceled.

## **REASONS FOR ALLOWANCE**

1. The following is an examiner's statement of reasons for allowance: None of the prior art of record, alone or in combination discloses a distal protection device comprising an expandable filter, an expandable occluder, a tube wherein the filter and the occluder are fixedly attached to the tube at the proximal end, the occluder is disposed within the filter and the filter extends beyond the distal end of the tube, as set forth by the applicant. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays,

Art Unit: 3731

should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elizabeth Houston whose telephone number is 571-272-7134. The examiner can normally be reached on M-Th 8:30-6:00 Alternate Fridays 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anhtuan Nguyen can be reached on 571-272-4963. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

eh A

ANHTUANT. NGUYEN
SUPERVISORY PATENT EXAMINER

7/2-1.5